



RAVENOL SCOOTER 2-Takt Teilsynth.

RAVENOL SCOOTER 2-Takt Teilsynth. is a very high quality "self-mixing" two-stroke engine oil with special esters and Polyisobutylene (PIB).

RAVENOL SCOOTER 2-Takt Teilsynth. is based on mineral and synthetic base oils with effectively low ash two-stroke additives.

Application Notes

RAVENOL SCOOTER 2-Takt Teilsynth. is a self-mixing two-stroke oil and suitable for mixed and separate lubrication.

RAVENOL SCOOTER 2-Takt Teilsynth. is used for lubrication of air-cooled two-stroke petrol engines with very high speed and heaviest load.

RAVENOL SCOOTER 2-Takt Teilsynth. is also suitable for the lubrication of two stroke scooters with water cooling.

RAVENOL SCOOTER 2-Takt Teilsynth. can generally be mixed with regular petrol 1:75.

Please follow the manufacturer's recommendations.

Quality Classifications

Specifications

API TC, ISO-L-EGC

Approvals

JASO 049RAV150

Practice and tested in aggregates with filling

JASO FC, Aprilia, Honda, Kymco, Peugeot, Piaggio, Suzuki, Vespa, YAMAHA

Characteristic

RAVENOL SCOOTER 2-Takt Teilsynth. offers:

- A proper lubrication of all engine parts
- A strong cleaning effect, for clean combustion chambers. Cleans intake and exhaust ports from combustion residues and deposits
- Clean spark plugs provide optimal performance of the engines
- A very high wear and corrosion protection
- Low exhaust emission levels by good combustion

Characteristics	Unit	Data	Audit
Colour		red	visual
Density at 20°C	kg/m ³	865	EN ISO 12185
Viscosity at 40°C	mm ² /s	ca. 60	DIN 51 562
Viscosity at 100°C	mm ² /s	ca. 8,6	DIN 51 562
Viscosity index VI		125-130	DIN ISO 2909
Pourpoint	°C	-21	DIN ISO 3016
Sulphated ash	%wt.	0,03	DIN 51 575

All indicated data are approximate values and are subject to the commercial fluctuations.

All information correspond to the best of our knowledge to the actual situation of the cognitions and our development. Subject to alterations. All references made to DIN-norms are only for the description of the goods. There is no guarantee. In case there will be any problems please contact the technical service.

19.11.2016

Ravensberger Schmierstoffvertrieb GmbH

Postfach 1163

33819 Werther

Tel.: 05203/9719-0

Fax.: 052039719-40 / 41